



877-PSI-SEAL Toll Free

### U-CUPS

PSI PART#			Dimensions - Decimal		Nominal Dimensions - Fractional			
Pruva	Straight	AN	C/S	I.D.	O.D.	C/S	I.D.	O.D.
666-006	626-006		0.062	0.125	0.250	1/16	1/8	1/4
	626-007		0.062	0.156	0.281	1/16	5/32	9/32
666-008	626-008		0.062	0.187	0.312	1/16	3/16	5/16
	626-009		0.062	0.218	0.343	1/16	7/32	12/35
666-010	626-010		0.062	0.250	0.375	1/16	1/4	3/8
666-011	626-011		0.062	0.312	0.437	1/16	5/16	7/16
666-012	626-012		0.062	0.375	0.500	1/16	3/8	1/2
666-013			0.062	0.437	0.563	1/16	7/16	9/16
	626-014		0.062	0.500	0.625	1/16	1/2	5/8
	626-020		0.062	0.875	1.000	1/16	7/8	1
666-104	626-104		0.093	0.125	0.312	3/32	1/8	5/16
666-106	626-106		0.093	0.187	0.375	3/32	3/16	3/8
	626-107		0.093	0.218	0.406	3/32	7/32	13/32
666-108	626-108		0.093	0.250	0.437	3/32	1/4	7/16
666-109	626-109		0.093	0.312	0.500	3/32	5/16	1/2
666-110	626-110		0.093	0.375	0.562	3/32	3/8	9/16
666-111	626-111		0.093	0.437	0.625	3/32	7/16	5/8
666-112	626-112		0.093	0.500	0.687	3/32	1/2	11/16
666-113	626-113		0.093	0.562	0.750	3/32	9/16	3/4
666-114	626-114		0.093	0.625	0.812	3/32	5/8	13/16
666-115	626-115		0.093	0.687	0.875	3/32	11/16	7/8
666-116			0.093	0.750	0.937	3/32	3/4	15/16
	626-117		0.093	0.812	1.000	3/32	13/16	1
	626-118		0.093	0.875	1.062	3/32	7/8	1 1/16
666-120			0.093	1.000	1.187	3/32	1	1 3/16
	626-130		0.093	1.625	1.812	3/32	1 5/8	1 13/16
		6226-41	0.125	0.125	0.375	1/8	1/8	3/8
666-201		6226-42	0.125	0.187	0.437	1/8	3/16	7/16
666-202		6226-43	0.125	0.250	0.500	1/8	1/4	1/2
666-203		6226-44	0.125	0.312	0.562	1/8	5/16	9/16
666-204		6226-45	0.125	0.375	0.625	1/8	3/8	5/8
666-205		6226-46	0.125	0.437	0.687	1/8	7/16	11/16
666-206	626-206	6226-47	0.125	0.500	0.750	1/8	1/2	3/4
666-207	626-207		0.125	0.562	0.812	1/8	9/16	13/16
	626-40059		0.125	0.593	0.843	1/8	19/32	27/32



**877-PSI-SEAL Toll Free**

**U-CUPS**

PSI PART#			Dimensions - Decimal		Nominal Dimensions - Fractional			
666-208	626-208	6226-208	0.125	0.625	0.875	1/8	5/8	7/8
666-209	626-209		0.125	0.687	0.937	1/8	11/16	15/16
666-210	626-210		0.125	0.750	1.000	1/8	3/4	1
666-211	626-211		0.125	0.812	1.062	1/8	13/16	1 1/16
666-212	626-212		0.125	0.875	1.125	1/8	7/8	1 1/8
666-213			0.125	0.937	1.187	1/8	15/16	1 3/16
666-214	626-214		0.125	1.000	1.250	1/8	1	1 1/4
666-216			0.125	1.125	1.375	1/8	1 1/8	1 3/8
666-217			0.125	1.187	1.437	1/8	1 3/16	1 7/16
666-218	626-218		0.125	1.250	1.500	1/8	1 1/4	1 1/2
666-219			0.125	1.312	1.562	1/8	1 5/16	1 9/16
	626-220		0.125	1.375	1.625	1/8	1 3/8	1 5/8
666-222			0.125	1.500	1.750	1/8	1 1/2	1 3/4
	626-223		0.125	1.625	1.875	1/8	1 5/8	1 7/8
666-224			0.125	1.750	2.000	1/8	1 3/4	2
666-226			0.125	2.000	2.250	1/8	2	2 1/4
666-248			0.125	4.750	5.000	1/8	4 3/4	5
666-259			0.125	6.250	6.500	1/8	6 1/4	6 1/2
	626-50025		0.156	0.250	0.562	5/32	1/4	9/16
666-50050			0.156	0.500	0.812	5/32	1/2	13/16
666-50081			0.156	0.812	1.125	5/32	13/16	1 1/8
666-50087			0.156	0.875	1.187	5/32	7/8	1 3/16
666-50093	626-50093		0.156	0.937	1.250	5/32	15/16	1 1/4
666-50100			0.156	1.000	1.312	5/32	1	1 5/16
666-50106			0.156	1.062	1.375	5/32	1 1/16	1 3/8
666-50112			0.156	1.125	1.437	5/32	1 1/8	1 7/16
666-50118	626-50118		0.156	1.187	1.500	5/32	1 3/16	1 1/2
666-50125	626-50125		0.156	1.250	1.562	5/32	1 1/4	1 9/16
666-50131			0.156	1.312	1.625	5/32	1 5/16	1 5/8
666-50137	626-50137		0.156	1.375	1.687	5/32	1 3/8	1 11/16
666-50143			0.156	1.437	1.750	5/32	1 7/16	1 3/4
666-50150			0.156	1.500	1.812	5/32	1 1/2	1 13/16
	626-50162		0.156	1.625	1.937	5/32	1 5/8	1 15/16
666-50175			0.156	1.750	2.062	5/32	1 3/4	2 1/16
		6226-1	0.187	0.125	0.500	3/16	1/8	1/2
		6226-2	0.187	0.187	0.562	3/16	3/16	9/16
		6226-3	0.187	0.250	0.625	3/16	1/4	5/8
		6226-4	0.187	0.312	0.687	3/16	5/16	11/16
		6226-5	0.187	0.375	0.750	3/16	3/8	3/4
		6226-6	0.187	0.437	0.812	3/16	7/16	13/16
		6226-7	0.187	0.500	0.875	3/16	1/2	7/8
666-312		6226-48	0.187	0.625	1.000	3/16	5/8	1

Pressure Seals, Inc. 310 Nutmeg Road South, South Windsor, CT 06074  
 Phone: (877)-PSI-SEAL Toll Free In CT: (860) 282-9100 Fax: (860) 282-9001



877-PSI-SEAL Toll Free

### U-CUPS

PSI PART#			Dimensions - Decimal		Nominal Dimensions - Fractional			
	626-313	6226-313	0.187	0.687	1.062	3/16	11/16	1 1/16
666-314		6226-49	0.187	0.750	1.125	3/16	3/4	1 1/8
		6226-50	0.187	0.875	1.250	3/16	7/8	1 1/4
666-318		6226-51	0.187	1.000	1.375	3/16	1	1 3/8
		6226-52	0.187	1.125	1.500	3/16	1 1/8	1 1/2
666-322		6226-53	0.187	1.250	1.625	3/16	1 1/4	1 5/8
666-324	626-324		0.187	1.375	1.750	3/16	1 3/8	1 3/4
666-325	626-325		0.187	1.500	1.875	3/16	1 1/2	1 7/8
666-326	626-326		0.187	1.625	2.000	3/16	1 5/8	2
666-327	626-327		0.187	1.750	2.125	3/16	1 3/4	2 1/8
666-328	626-328		0.187	1.875	2.250	3/16	1 7/8	2 1/4
666-329	626-329		0.187	2.000	2.375	3/16	2	2 3/8
666-330	626-330		0.187	2.125	2.500	3/16	2 1/8	2 1/2
666-331			0.187	2.250	2.625	3/16	2 1/4	2 5/8
666-332	626-332		0.187	2.375	2.750	3/16	2 3/8	2 3/4
666-333			0.187	2.500	2.875	3/16	2 1/2	2 7/8
666-334	626-334		0.187	2.625	3.000	3/16	2 5/8	3
666-335			0.187	2.750	3.125	3/16	2 3/4	3 1/8
666-336			0.187	2.875	3.250	3/16	2 7/8	3 1/4
666-337			0.187	3.000	3.375	3/16	3	3 3/8
666-338	626-338		0.187	3.125	3.500	3/16	3 1/8	3 1/2
666-339			0.187	3.250	3.625	3/16	3 1/4	3 5/8
666-340			0.187	3.375	3.750	3/16	3 3/8	3 3/4
666-341	626-341		0.187	3.500	3.875	3/16	3 1/2	3 7/8
	626-342		0.187	3.625	4.000	3/16	3 5/8	4
666-70250			0.218	2.500	2.937	7/32	2 1/2	2 15/16
666-70256	626-70256		0.218	2.562	3.000	7/32	2 9/16	3
666-70268			0.218	2.687	3.125	7/32	2 11/16	3 1/8
666-70275			0.218	2.750	3.187	7/32	2 3/4	3 3/16
666-70281	626-70281		0.218	2.812	3.250	7/32	2 13/16	3 1/4
666-70300			0.218	3.000	3.437	7/32	3	3 7/16
666-70306			0.218	3.062	3.500	7/32	3 1/16	3 1/2
666-70331			0.218	3.312	3.750	7/32	3 5/16	3 3/4
666-70356			0.218	3.562	4.000	7/32	3 9/16	4
		6226-8	0.250	0.250	0.750	1/4	1/4	3/4
		6226-9	0.250	0.312	0.812	1/4	5/16	13/16
		6226-10	0.250	0.375	0.875	1/4	3/8	7/8

Pressure Seals, Inc. 310 Nutmeg Road South, South Windsor, CT 06074  
 Phone: (877)-PSI-SEAL Toll Free In CT: (860) 282-9100 Fax: (860) 282-9001



**877-PSI-SEAL Toll Free**

**U-CUPS**

PSI PART#			Dimensions - Decimal		Nominal Dimensions - Fractional			
		6226-11	0.250	0.437	0.937	1/4	7/16	15/16
		6226-12	0.250	0.500	1.000	1/4	1/2	1
		6226-13	0.250	0.562	1.062	1/4	9/16	1 1/16
		6226-14	0.250	0.625	1.125	1/4	5/8	1 1/8
		6226-15	0.250	0.687	1.187	1/4	11/16	1 3/16
666-16		6226-16	0.250	0.750	1.250	1/4	3/4	1 1/4
		6226-17	0.250	0.812	1.312	1/4	13/16	1 5/16
		6226-18	0.250	0.875	1.375	1/4	7/8	1 3/8
		6226-19	0.250	0.937	1.437	1/4	15/16	1 7/16
666-20		6226-20	0.250	1.000	1.500	1/4	1	1 1/2
		6226-21	0.250	1.062	1.562	1/4	1 1/16	1 9/16
		6226-22	0.250	1.125	1.625	1/4	1 1/8	1 5/8
		6226-23	0.250	1.187	1.687	1/4	1 3/16	1 11/16
666-24		6226-24	0.250	1.250	1.750	1/4	1 1/4	1 3/4
666-400	626-400		0.250	1.375	1.875	1/4	1 3/8	1 7/8
666-401	626-401		0.250	1.500	2.000	1/4	1 1/2	2
666-403			0.250	1.750	2.250	1/4	1 3/4	2 1/4
	626-404		0.250	1.875	2.375	1/4	1 7/8	2 3/8
666-405			0.250	2.000	2.500	1/4	2	2 1/2
	626-406		0.250	2.125	2.625	1/4	2 1/8	2 5/8
666-407			0.250	2.250	2.750	1/4	2 1/4	2 3/4
666-409	626-409		0.250	2.500	3.000	1/4	2 1/2	3
666-411			0.250	2.750	3.250	1/4	2 3/4	3 1/4
	626-413		0.250	3.000	3.500	1/4	3	3 1/2
666-417	626-417		0.250	3.500	4.000	1/4	3 1/2	4
666-418			0.250	3.625	4.125	1/4	3 5/8	4 1/8
666-419			0.250	3.750	4.250	1/4	3 3/4	4 1/4
666-421	626-421		0.250	4.000	4.500	1/4	4	4 1/2
666-423			0.250	4.250	4.750	1/4	4 1/4	4 3/4
666-425	626-425		0.250	4.500	5.000	1/4	4 1/2	5

Pressure Seals, Inc. 310 Nutmeg Road South, South Windsor, CT 06074  
 Phone: (877)-PSI-SEAL Toll Free In CT: (860) 282-9100 Fax: (860) 282-9001



**877-PSI-SEAL Toll Free**

**U-CUPS**

PSI PART#			Dimensions - Decimal		Nominal Dimensions - Fractional			
666-427			0.250	4.750	5.250	1/4	4 3/4	5 1/4
	626-433		0.250	5.500	6.000	1/4	5 1/2	6
	626-434		0.250	5.625	6.125	1/4	5 5/8	6 1/8
666-446			0.250	8.500	9.000	1/4	8 1/2	9
666-90443	626-90443		0.281	4.437	5.000	9/32	4 7/16	5
666-90456			0.281	4.562	5.125	9/32	4 9/16	5 1/8
666-90500			0.281	5.000	5.562	9/32	5	5 9/16
666-90543			0.281	5.437	6.000	9/32	5 7/16	6
666-90593			0.281	5.937	6.500	9/32	5 15/16	6 1/2
666-90743			0.281	7.437	8.000	9/32	7 7/16	8
	626-100037		0.312	0.375	1.000	5/16	3/8	1
	626-100050		0.312	0.500	1.125	5/16	1/2	1 1/8
		6226-25	0.312	1.250	1.875	5/16	1 1/4	1 7/8
		6226-26	0.312	1.375	2.000	5/16	1 3/8	2
		6226-27	0.312	1.5	2.125	5/16	1 1/2	2 1/8
		6226-28	0.312	1.625	2.25	5/16	1 5/8	2 1/4
666-100175		6226-29	0.312	1.75	2.375	5/16	1 3/4	2 3/8
		6226-30	0.312	1.875	2.5	5/16	1 7/8	2 1/2
		6226-31	0.312	2	2.625	5/16	2	2 5/8
		6226-32	0.312	2.125	2.75	5/16	2 1/8	2 3/4
		6226-33	0.312	2.25	2.875	5/16	2 1/4	2 7/8
		6226-34	0.312	2.375	3	5/16	2 3/8	3
		6226-35	0.312	2.5	3.125	5/16	2 1/2	3 1/8
666-100287			0.312	2.875	3.5	5/16	2 7/8	3 1/2
666-100437			0.312	4.375	5	5/16	4 3/8	5
666-100512			0.312	5.125	5.75	5/16	5 1/8	5 3/4
666-100537			0.312	5.375	6	5/16	5 3/8	6
666-100550			0.312	5.5	6.125	5/16	5 1/2	6 1/8
666-100600			0.312	6	6.625	5/16	6	6 5/8
666-100637	626-100637		0.312	6.375	7	5/16	6 3/8	7
666-100737	626-100737		0.312	7.375	8	5/16	7 3/8	8
	626-110162		0.343	1.625	2.312	11/32	1 5/8	2 5/16
666-110931	626-110931		0.343	9.312	10	11/32	9 5/16	10

Pressure Seals, Inc. 310 Nutmeg Road South, South Windsor, CT 06074  
 Phone: (877)-PSI-SEAL Toll Free In CT: (860) 282-9100 Fax: (860) 282-9001



**877-PSI-SEAL Toll Free**

**U-CUPS**

PSI PART#			Dimensions - Decimal		Nominal Dimensions - Fractional			
	626-120012		0.375	0.125	0.875	3/8	1/8	7/8
	626-120150		0.375	1.5	2.25	3/8	1 1/2	2 1/4
666-120225	626-120225		0.375	2.25	3	3/8	2 1/4	3
666-120250		6226-36	0.375	2.5	3.25	3/8	2 1/2	3 1/4
666-120262		6226-37	0.375	2.625	3.375	3/8	2 5/8	3 3/8
666-120275		6226-38	0.375	2.75	3.5	3/8	2 3/4	3 1/2
		6226-39	0.375	2.875	3.625	3/8	2 7/8	3 5/8
		6226-40	0.375	3	3.75	3/8	3	3 3/4
666-120325	626-120325		0.375	3.25	4	3/8	3 1/4	4
	626-120350		0.375	3.5	4.25	3/8	3 1/2	4 1/4
666-120425	626-120425		0.375	4.25	5	3/8	4 1/4	5
666-120525			0.375	5.25	6	3/8	5 1/4	6
666-121125			0.375	11.25	12	3/8	11 1/4	12
666-131318			0.406	13.187	14	13/32	13 3/16	14
666-140512	626-140512		0.437	5.125	6	7/16	5 1/8	6
	626-160700		0.5	7	8	1/2	7	8
	626-160900		0.5	9	10	1/2	9	10
	626-161100		0.5	11	12	1/2	11	12
666-161300	626-161300		0.5	13	14	1/2	13	14